

PFS

Home and Well Survey

ORIGINAL
RED

PFS

Resident's Name:

Ex. 6 - Personal Privacy

Home Phone: Ex. 6 - Personal Privacy Cell Phone:

Address:

Ex. 6 - Personal Privacy

Email address:

Owner Information (If Different):

Number of Household Residents/Age Groups:

Infants (Under Age 1) _____

Toddlers (Age 1-6) _____

Children (Age 7-12) _____

Adolescents (Age 13-18) _____

Adults (Age 18-65) 2 _____

Seniors (Age 66+) _____

SDMS DocID
2180307



Do you have a water treatment system? If so, please identify the components of the system (if any): NO

Well Information:

140 casin

Type: Dug Drilled Well Depth: 2 285 Well Age: ~1996

Driller log of the well installation (these are the detailed notes that the driller takes during the installation):

Name of Driller/Service Company (If Known): Bill Karp + son

factoryville

Total depth of well: 225

Depth of surface casing: 147 Cement on Surface casing: Yes No ?

Length/Depth of Screen (the screened interval of the well):

Depth of pump in relation to total depth of the well:

Well Repairs or Re-drilling in past 15 years: new pump 1st year (1.5 ft. st. 10)

Have you had your well water tested for contamination in the past?

If so, and you would be willing to share your results with the EPA, what contaminants have been found in your well historically? DEP after drilling ~ 07-08

Att. Napoli Bern Ripka June 23 2011 have results and will share

Sierra City of Bingham, Buffalo water
Not bad water sampled months ago.
Rochester.

Home and Well SurveyORIGINAL
REDRecent or past changes in water quality (taste, odor, appearance): Brown water.OdorDo you currently use your well water for drinking? Yes No Cooking? Yes No Bathing? Yes No

Other household uses?

If you do not use your well water, what water source do you use? Searvia Club waterHave you been provided an alternate source of water for drinking/cooking? Yes No not anymoreOther uses? Yes No When did this occur? Beginning Mar 2002If so, who provides/provided the alternate water? Buffalo

Is there an agreement with the provider?

What event/condition prompted the use of alternate water?

When did this occur?

Lease with gas company: Yes No

If so, what is the status of lease?

Is there any additional information you would like to provide to us:

PAGE
ORIGINAL
RED

HW-34a
EPA Radiological Data Summary Report
Dimock Residential Sampling
Sample Date: 2/1/2012

Sample Number	Analyte	Result	2 σ Uncertainty	MDC	Unit	Trigger Level	EPA / DEP Primary MCL
HW34a	Alpha	9.66E-01 UJ	1.90E+00	1.30E+00	pCi/L		1.50E+01 pCi/L
HW34a-P	Alpha	1.89E+00	2.10E+00	1.40E+00	pCi/L		1.50E+01 pCi/L
HW34a	Beta	2.12E+00 UJ	1.20E+00	1.70E+00	pCi/L		
HW34a-P	Beta	2.51E+00	1.30E+00	1.70E+00	pCi/L		
HW34a	Th227-AS	-7.40E-03 U	4.90E-02	1.30E-01	pCi/L		
HW34a-P	Th227-AS	1.45E-02 U	6.50E-02	1.20E-01	pCi/L		
HW34a	Th228-AS	0.00E+00 J	5.60E-02	1.20E-01	pCi/L	4.90E+01	pCi/L
HW34a-P	Th228-AS	3.23E-02 U	6.40E-02	1.10E-01	pCi/L	4.90E+01	pCi/L
HW34a	Th230-AS	0.00E+00	2.60E-02	5.40E-02	pCi/L	5.80E+01	pCi/L
HW34a-P	Th230-AS	3.23E-02 UJ	5.00E-02	6.90E-02	pCi/L	5.80E+01	pCi/L
HW34a	Th232-AS	-4.10E-03 U	2.80E-02	7.10E-02	pCi/L	5.20E+01	pCi/L
HW34a-P	Th232-AS	-4.00E-03 U	2.70E-02	6.90E-02	pCi/L	5.20E+01	pCi/L
HW34a	U234-AS	9.89E-02 UJ	9.10E-02	1.00E-01	pCi/L	7.50E+01	pCi/L
HW34a-P	U234-AS	1.56E-01 J	9.80E-02	7.70E-02	pCi/L	7.50E+01	pCi/L
HW34a	U235-AS	1.12E-01	1.00E-01	8.10E-02	pCi/L	7.60E+01	,pCi/L
HW34a-P	U235-AS	7.47E-02 UJ	8.00E-02	9.20E-02	pCi/L	7.60E+01	pCi/L
HW34a	U238-AS	3.64E-02 UJ	6.50E-02	1.00E-01	pCi/L	8.30E+01	pCi/L
HW34a-P	U238-AS	9.35E-02	7.70E-02	5.80E-02	pCi/L	8.30E+01	pCi/L
HW34a	Bi212-GS	4.60E+00 U	1.20E+01	2.00E+01	pCi/L	7.45E+03	pCi/L
HW34a-P	Bi212-GS	0.00E+00 U	1.20E+01	2.00E+01	pCi/L	7.45E+03	pCi/L
HW34a	Bi214-GS	3.10E+02 J*	5.80E+01	5.40E+01	pCi/L	2.76E+04	pCi/L
HW34a-P	Bi214-GS	1.01E+02 J, J*	3.60E+01	4.90E+01	pCi/L	2.76E+04	pCi/L
HW34a	K40-GS	-9.70E-02 UJ	1.20E+01	1.90E+01	pCi/L	2.14E+02	pCi/L
HW34a-P	K40-GS	6.90E+00 UJ	1.30E+01	1.90E+01	pCi/L	2.14E+02	pCi/L

See end of document for report key

19-Jul-12

Page 1 of 4

DIM0290043

DIM0290045

DIM0290043

DIM0290046

PDF
ORIGINAL
RED

HW34a	Pb214-GS	3.36E+02 J*	6.60E+01	6.40E+01	pCi/L			
HW34a-P	Pb214-GS	9.59E+01 J, J*	4.10E+01	5.60E+01	pCi/L			
HW34a	Ra226-GS	2.03E+00 U, J*	3.10E+01	5.30E+01	pCi/L			
HW34a-P	Ra226-GS	5.00E+00 U, J*	3.00E+01	5.10E+01	pCi/L			
HW34a	Ra228-GS	-7.49E-01 UJ	4.10E+00	5.40E+00	pCi/L			
HW34a-P	Ra228-GS	-1.52E+00 UJ	4.70E+00	5.70E+00	pCi/L			
HW34a	Th234-GS	-1.25E+02 U	1.60E+04	2.80E+02	pCi/L	2.29E+02	pCi/L	
HW34a-P	Th234-GS	-1.48E+02 UJ	1.90E+03	3.00E+02	pCi/L	2.29E+02	pCi/L	
HW34a	U235-GS	-1.70E+00 UJ, J*	1.30E+01	1.90E+01	pCi/L	7.60E+01	pCi/L	
HW34a-P	U235-GS	-3.99E+00 UJ, J*	1.20E+01	1.90E+01	pCi/L	7.60E+01	pCi/L	
HW34a	Ra226-RS	1.45E+00	3.30E-01	6.70E-02	pCi/L			
HW34a-P	Ra226-RS	1.80E+00 J*	3.90E-01	1.40E-01	pCi/L			
HW34a	Ra228-RS	8.73E-01	5.10E-01	7.50E-01	pCi/L			
HW34a-P	Ra228-RS	3.87E-01 UJ	7.00E-01	1.20E+00	pCi/L			
HW34a	Ra226 + Ra228	2.32E+00			pCi/L	5.00E+00	pCi/L	5.00E+00 pCi/L
HW34a-P	Ra226 + Ra228	2.19E+00			pCi/L	5.00E+00	pCi/L	5.00E+00 pCi/L
HW34a	Total Uranium	1.60E-01			ug/L	4.70E+01	ug/L	3.00E+01 ug/L
HW34a-P	Total Uranium	3.13E-01			ug/L	4.70E+01	ug/L	3.00E+01 ug/L

See end of document for report key

19-Jul-12

Page 2 of 4

DIM0290043

DIM0290047

DIM0290043



DIM0290048

EF
ORIGINAL
RED

Sample Number – Code that is used to identify the particular sample. See additional information below:

HW## – Identifies the sample location and indicates that it was collected at well head or closest point to the well head.

Z – Identifies a duplicate sample. Duplicate samples are collected for every ten samples collected to test the reproducibility of sampling and analytical procedures.

P – Indicates that the sample was collected at the kitchen tap. In some cases this may be following any treatment that the residence may have.

A/B – Designates which residence the sample was collected for sample locations with multiple residences using the same water source (may be a well or a spring).

Analyte – General term for a substance in the sample. The lab does testing to find specific analytes, or substances in the water sample. The report lists each analyte that the lab tested for and what amounts were found. The analytes in the attached report includes radionuclides.

-AS Alpha Particle Spectroscopy, which is a method of measuring alpha particles

-GS Gamma Ray Spectroscopy, refers to Gamma Ray Spectroscopy, which is a method of measuring gamma radiation

-RS Radionuclide Specific Activity, is a measurement of the amount of radioactivity or the decay rate of a particular radionuclide per unit mass or volume of the radionuclide

Ra226 + Ra228 is a combined result of specific radionuclides for direct comparison with the combined MCL in drinking water of 5 pCi/L

Total Uranium U (ug/L) - estimate calculated based on Uranium alpha spectrometry results and uranium isotopic specific activity. Calculated by:

Total U (ug/L) = $(U-234 \text{ pCi/L})/(6254) + (U-235 \text{ pCi/L})/(2.163) + (U-238 \text{ pCi/L})/(0.3362)$

Result and Units – identifies the actual result for the particular analyte and the measurement used for the particular type of sample. Results are expressed in scientific notation. For example: 4.32E+03 = 4,320; 2.75E-02 = 0.0275

The results include the following units for radionuclide water sample analyses:

pCi/L - picocuries per liter; measurements of the radioactive decay or activity. Activity in water is expressed in units of picocuries per liter.

ug/L - micrograms per liter; measurements of the mass of the substance per liter of water. This measurement is commonly known as parts per billion or ppb.

Drinking water results are usually reported in micrograms per liter.

MDC - Minimal detectable concentration, expressed as an activity concentration. If the result is equal to the MDC, there is a 95% chance that the radionuclide analyte will be detected in the sample.

Uncertainty - Measurement of total error associated with the counting/measuring process. The uncertainty is expressed as two standard deviations (two sigma [σ]) of the mean.

Trigger Level – established for this project, the trigger levels are based on risk-based screening levels and/or standards for public water supplies. A yellow highlighted result represents an analytical result greater than the established trigger level. Results exceeding a trigger level are referred to an EPA toxicologist for further review.

EPA Primary MCLs – the primary maximum contaminant levels (MCLs) are legally enforceable standards established under the Safe Drinking Water Act to protect public health by limiting the levels of contaminants in public drinking water systems. The MCL is the amount of an analyte (substance) that can be present in a water sample that the government considers acceptable to drink. EPA considers the MCLs when evaluating results from residential drinking water wells.

DEP Primary MCLs – Chapter 109, Pennsylvania Safe Drinking Water Regulations, defines MCL as the maximum permissible level of a contaminant in water which is delivered to a user of a public water system, and includes the primary and secondary MCLs established under the Federal Safe Drinking Water Act, and MCLs

DIM0290043

DIM0290050

Printed
Cr-C-A-1

Validation Result Qualifiers - EPA performs a quality check on the lab results. This quality check evaluates the sample results at the 95% confidence level (the 2σ counting uncertainty). This information can apply to 1) how certain EPA is that the lab detected the analyte and 2) how certain EPA is of the measurement of the analyte once detected. If there is no qualifier by the result, the sample result is greater than its MDC and/or greater than its 2σ counting uncertainty.

U – The sample result is less than its MDC (the data user is accepting a 5% probability of a false negative result) and the sample result is less than its 2σ counting uncertainty.

J – This means that the analyte was detected, but the value of the result is an estimate.

J* - Laboratory indicates that this result may be significantly under or overestimated. Pb-214 and Bi-214 activity concentrations should be considered a gross estimate only. According to the laboratory performing the analyses, the half life for Rn-222 (3.842 days) was utilized to calculate activity and decay corrected to the individual sample collection date/time.

UJ - The U before the J means that the analyte was close to the MDC, however, some analyte may be present.

R – Indicates that the data has been rejected. Calculated negative results indicate that the activity is at or below the instrument background. Results are less than the 95% confidence interval MDC value.

DIM0290043

DIM0290052

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION III
1650 Arch Street
Philadelphia, Pennsylvania 19103-2029

DEE
ORIGINAL
RED

SUBJECT: Lithium Reanalysis – HW34a 18 July 2012
Dimock, PA

FROM: Dawn A. Ioven, toxicologist
Technical Support Branch (3HS41)

TO: Rich Fetzer, OSC
Eastern Response Branch (3HS31)

Samples initially collected from residential wells in Dimock during Weeks 1 through 4 were recently reanalyzed to achieve lower detection limits for lithium. Findings for HW34a are presented below.

Lithium

Lithium was reported in wellhead and tap samples collected from HW34a (unfiltered and filtered) at concentrations of 84 to 87.2 ug/L. These concentrations exceed lithium's risk-based screening level of 31 ug/L; long-term exposure to the unfiltered tap concentration of lithium (84 ug/L) would generate a Hazard Quotient of 2.7. Under acute exposure conditions, ATSDR has suggested a screening concentration of 1500 ug/L for lithium in drinking water.



Printed on 100% recycled/recyclable paper with 100% post-consumer fiber and process chlorine free.
Customer Service Hotline: 1-800-438-2474

DRAFT
ORIGINAL
RED

HW-34a
EPA Data Summary Report
Dimock Residential Sampling

Sample Number	Analyte	Sample Date	Result	QL	QL Unit	Trigger Level
HW34a	Lithium	2/1/2012	87.20 ug/L	25	ug/L	31.00 ug/L
HW34a	Lithium	2/1/2012	200.00 U	200	ug/L	31.00 ug/L
HW34a-F	Lithium	2/1/2012	85.90 ug/L	25	ug/L	31.00 ug/L
HW34a-F	Lithium	2/1/2012	200.00 U	200	ug/L	31.00 ug/L
HW34a-P	Lithium	2/1/2012	84.00 ug/L	25	ug/L	31.00 ug/L
HW34a-P	Lithium	2/1/2012	200.00 U	200	ug/L	31.00 ug/L
HW34a-PF	Lithium	2/1/2012	86.00 ug/L	25	ug/L	31.00 ug/L
HW34a-PF	Lithium	2/1/2012	200.00 U	200	ug/L	31.00 ug/L

See end of document for report key

19-Jul-12

Page 1 of 2

DIM0290043

DIM0290055

DIM0290043

DIM0290056

DRAFT
ORIGINAL
RED

Analyte	Sample Date	Result	QL	QL Unit	Trigger Level
---------	-------------	--------	----	---------	---------------

Sample Number – Code that is used to identify the particular sample. See additional information below:

HW## – Identifies the sample location and indicates that it was collected at well head or closest point to the well head.

F – Indicates that the sample was filtered following collection. The purpose of filtering the sample is to remove any particulates in order to find what metals are actually dissolved in the water sample.

Z – Identifies a duplicate sample. Duplicate samples are collected for every ten samples collected to test the reproducibility of sampling and analytical procedures.

P – Indicates that the sample was collected at the kitchen tap. In some cases this may be following any treatment that the residence may have.

A/B – Designates which residence the sample was collected for sample locations with multiple residences using the same water source (may be a well or a spring).

RO – Indicated that the sample was collected from a residence containing a reverse osmosis treatment system.

N – Designates that the sample was collected from the new well for locations with multiple wells.

_R2 - Designates samples collected during the second event (May 2012).

Analyte – General term for a substance in the sample. The lab does testing to find specific analytes, or substance in the water sample. The report lists each analyte that the lab tested for and what amounts were found.

Result and Units – identifies the actual result for the particular analyte and the measurement used for the particular type of sample. The results may include the following units for the various water sample analyses:

$\mu\text{g/L}$ – Micrograms per liter (abbreviated as $\mu\text{g/L}$) measurements of the mass of the substance per liter of water. This measurement is commonly known as parts per billion or ppb. Drinking water results are usually reported in $\mu\text{g/L}$.

Trigger Level – established for this project, the trigger levels are based on risk-based screening levels and/or standards for public water supplies. A yellow highlighted result represents an analytical result greater than the established trigger level. Results exceeding a trigger level are referred to an EPA toxicologist for further review.

Validation Result Qualifiers - EPA performs a quality check on the lab results. After this quality check, EPA may mark the measurement of certain analytes with a qualifier to give additional information about the measurement. This information can apply to 1) how certain EPA is that the lab detected the analyte and 2) how certain EPA is of the measurement of the analyte once detected. If there is no qualifier by the result, the detection and measurement of the analyte are certain

U – Indicates that the analyte was not detected. If there is a number next to the U, this number is the amount of analyte that would have to be present to be detected by the lab given the particular method and/or instrumentation.

J+ - The result is an estimated quantity, but the result may be biased high.

DIM0290043

DIM0290058

HW-34a
EPA Validated Data Summary Report
Dimock Residential Sampling
Sample Date: 2/1/2012

Sample Number	Analyte	Result	Trigger Levels	EPA Primary MCLs	EPA Secondary MCLs	DEP Primary MCLs	DEP Secondary MCLs
HW34a	1-Butanol	10,000.00 U	ug/L	1,500.00 ug/L			
HW34a-P	1-Butanol	10,000.00 U	ug/L	1,500.00 ug/L			
HW34a	1-Propanol	10,000.00 U	ug/L				
HW34a-P	1-Propanol	10,000.00 U	ug/L				
HW34a	2-Butanol	10,000.00 U	ug/L				
HW34a-P	2-Butanol	10,000.00 U	ug/L				
HW34a	Ethanol	10,000.00 U	ug/L				
HW34a-P	Ethanol	10,000.00 U	ug/L				
HW34a	Methanol	10,000.00 U	ug/L	7,800.00 ug/L			
HW34a-P	Methanol	10,000.00 U	ug/L	7,800.00 ug/L			
HW34a	Anionic Surfactants	0.01 U	mg/L				
HW34a-P	Anionic Surfactants	0.03	mg/L				
HW34a	Heterotrophic Plate Count	R	cfu/1mL				
HW34a-P	Heterotrophic Plate Count	R	cfu/1mL				
HW34a	Total Coliform Bacteria	1.00 U	cfu/100mL	0.00 cfu/100mL	5.00 %*		
HW34a-P	Total Coliform Bacteria	1.00 U	cfu/100mL	0.00 cfu/100mL	5.00 %*		
HW34a	Ethane	55.00	ug/L				
HW34a-P	Ethane	1.60	ug/L				
HW34a	Ethene	1.10 U	ug/L				
HW34a-P	Ethene	1.10 U	ug/L				
HW34a	Methane	26,000.00	ug/L	28,000.00 ug/L			
HW34a-P	Methane	470.00	ug/L	28,000.00 ug/L			
HW34a	2-Butoxyethanol	5.00 U	ug/L				
HW34a-P	2-Butoxyethanol	5.00 U	ug/L				

04-Apr-12

Page 1 of 17

DIM0290043

DIM0290059

DIM0290043

DIM0290060

Sample Number	Analyte	Result		Trigger Levels	EPA Primary MCLs	EPA Secondary MCLs	DEP Primary MCLs	DEP Secondary MCLs
HW34a	2-Methoxyethanol	57.10	U ug/L	78.00 ug/L				
HW34a	2-Methoxyethanol	10.00	U ug/L	78.00 ug/L				
HW34a-P	2-Methoxyethanol	60.00	U ug/L	78.00 ug/L				
HW34a-P	2-Methoxyethanol	10.00	U ug/L	78.00 ug/L				
HW34a	Diethylene Glycol	50.00	U ug/L	8,000.00 ug/L				
HW34a	Diethylene glycol	10,000.00	U ug/L	8,000.00 ug/L				
HW34a-P	Diethylene Glycol	50.00	U ug/L	8,000.00 ug/L				
HW34a-P	Diethylene glycol	R	ug/L	8,000.00 ug/L				
HW34a	Ethanol, 2-ethoxy-	10,000.00	U ug/L					
HW34a-P	Ethanol, 2-ethoxy-	10,000.00	U ug/L					
HW34a	Ethanol, 2-methoxy-	10,000.00	U ug/L	78.00 ug/L				
HW34a-P	Ethanol, 2-methoxy-	10,000.00	U ug/L	78.00 ug/L				
HW34a	Ethyleneglycol	10,000.00	U ug/L	31,000.00 ug/L				
HW34a	Ethyleneglycol	10,000.00	U ug/L	31,000.00 ug/L				
HW34a-P	Ethyleneglycol	10,000.00	U ug/L	31,000.00 ug/L				
HW34a-P	Ethyleneglycol	10,000.00	U ug/L	31,000.00 ug/L				
HW34a	Tetraethylene glycol	25.00	U ug/L	8,000.00 ug/L				
HW34a-P	Tetraethylene glycol	25.00	U ug/L	8,000.00 ug/L				
HW34a	Triethylene glycol	10,000.00	U ug/L	8,000.00 ug/L				
HW34a	Triethylene glycol	25.00	U ug/L	8,000.00 ug/L				
HW34a-P	Triethylene glycol	R	ug/L	8,000.00 ug/L				
HW34a-P	Triethylene glycol	25.00	U ug/L	8,000.00 ug/L				
HW34a	Bromide	0.50	U mg/L					
HW34a-P	Bromide	0.50	U mg/L					
HW34a	Chloride	49.50	mg/L		250.00 mg/L			250.00 mg/L
HW34a-P	Chloride	49.40	mg/L		250.00 mg/L			250.00 mg/L
HW34a	Fluoride	0.10	U mg/L	0.62 mg/L	4.00 mg/L	2.00 mg/L	2.00 mg/L	
HW34a-P	Fluoride	0.10	U mg/L	0.62 mg/L	4.00 mg/L	2.00 mg/L	2.00 mg/L	
HW34a	Sulfate	1.08	mg/L		250.00 mg/L			250.00 mg/L

04-Apr-12

Page 2 of 17

DIM0290043

DIM0290061

DIM0290043

DIM0290062

Sample Number	Analyte	Result	Trigger Levels	EPA Primary MCLs	EPA Secondary MCLs	DEP Primary MCLs	DEP Secondary MCLs
HW34a-P	Sulfate	1.01 mg/L			250.00 mg/L		250.00 mg/L
HW34a	Mercury	0.20 ug/L	4.30 ug/L	2.00 ug/L		2.00 ug/L	
HW34a-F	Mercury	0.20 ug/L	4.30 ug/L	2.00 ug/L		2.00 ug/L	
HW34a-P	Mercury	0.20 ug/L	4.30 ug/L	2.00 ug/L		2.00 ug/L	
HW34a-PF	Mercury	0.20 ug/L	4.30 ug/L	2.00 ug/L		2.00 ug/L	
HW34a	Aluminum	30.00 ug/L	16,000.00 ug/L		200.00 ug/L		200.00 ug/L
HW34a-F	Aluminum	30.00 ug/L	16,000.00 ug/L		200.00 ug/L		200.00 ug/L
HW34a-P	Aluminum	30.00 ug/L	16,000.00 ug/L		200.00 ug/L		200.00 ug/L
HW34a-PF	Aluminum	30.00 ug/L	16,000.00 ug/L		200.00 ug/L		200.00 ug/L
HW34a	Antimony	2.00 ug/L	6.00 ug/L	6.00 ug/L		6.00 ug/L	
HW34a-F	Antimony	2.00 ug/L	6.00 ug/L	6.00 ug/L		6.00 ug/L	
HW34a-P	Antimony	2.00 ug/L	6.00 ug/L	6.00 ug/L		6.00 ug/L	
HW34a-PF	Antimony	2.00 ug/L	6.00 ug/L	6.00 ug/L		6.00 ug/L	
HW34a	Arsenic	1.10 ug/L	4.50 ug/L	10.00 ug/L		10.00 ug/L	
HW34a-F	Arsenic	1.00 ug/L	4.50 ug/L	10.00 ug/L		10.00 ug/L	
HW34a-P	Arsenic	1.00 ug/L	4.50 ug/L	10.00 ug/L		10.00 ug/L	
HW34a-PF	Arsenic	1.00 ug/L	4.50 ug/L	10.00 ug/L		10.00 ug/L	
HW34a	Barium	1,440.00 ug/L	2,900.00 ug/L	2,000.00 ug/L		2,000.00 ug/L	
HW34a-F	Barium	1,440.00 ug/L	2,900.00 ug/L	2,000.00 ug/L		2,000.00 ug/L	
HW34a-P	Barium	1,400.00 ug/L	2,900.00 ug/L	2,000.00 ug/L		2,000.00 ug/L	
HW34a-PF	Barium	1,410.00 ug/L	2,900.00 ug/L	2,000.00 ug/L		2,000.00 ug/L	
HW34a	Beryllium	1.00 ug/L	16.00 ug/L	4.00 ug/L		4.00 ug/L	
HW34a-F	Beryllium	1.00 ug/L	16.00 ug/L	4.00 ug/L		4.00 ug/L	
HW34a-P	Beryllium	1.00 ug/L	16.00 ug/L	4.00 ug/L		4.00 ug/L	
HW34a-PF	Beryllium	1.00 ug/L	16.00 ug/L	4.00 ug/L		4.00 ug/L	
HW34a	Boron	79.80 ug/L	3,100.00 ug/L				
HW34a-F	Boron	80.00 ug/L	3,100.00 ug/L				
HW34a-P	Boron	81.10 ug/L	3,100.00 ug/L				
HW34a-PF	Boron	80.00 ug/L	3,100.00 ug/L				

04-Apr-12

Page 3 of 17

DIM0290043

DIM0290063

DIM0290043

DIM0290064

Sample Number	Analyte	Result	Trigger Levels	EPA Primary MCLs	EPA Secondary MCLs	DEP Primary MCLs	DEP Secondary MCLs
HW34a	Cadmium	1.00 U ug/L	6.90 ug/L	5.00 ug/L		5.00 ug/L	
HW34a-F	Cadmium	1.00 U ug/L	6.90 ug/L	5.00 ug/L		5.00 ug/L	
HW34a-P	Cadmium	1.00 U ug/L	6.90 ug/L	5.00 ug/L		5.00 ug/L	
HW34a-PF	Cadmium	1.00 U ug/L	6.90 ug/L	5.00 ug/L		5.00 ug/L	
HW34a	Calcium	27,100.00 ug/L					
HW34a-F	Calcium	27,100.00 ug/L					
HW34a-P	Calcium	26,700.00 ug/L					
HW34a-PF	Calcium	26,600.00 ug/L					
HW34a	Chromium	2.00 U ug/L	3.10 ug/L	100.00 ug/L		100.00 ug/L	
HW34a-F	Chromium	2.00 U ug/L	3.10 ug/L	100.00 ug/L		100.00 ug/L	
HW34a-P	Chromium	2.00 U ug/L	3.10 ug/L	100.00 ug/L		100.00 ug/L	
HW34a-PF	Chromium	2.00 U ug/L	3.10 ug/L	100.00 ug/L		100.00 ug/L	
HW34a	Cobalt	1.00 U ug/L	4.70 ug/L				
HW34a-F	Cobalt	1.00 U ug/L	4.70 ug/L				
HW34a-P	Cobalt	1.00 U ug/L	4.70 ug/L				
HW34a-PF	Cobalt	1.00 U ug/L	4.70 ug/L				
HW34a	Copper	2.00 U ug/L	620.00 ug/L	1,300.00 ug/L**	1,000.00 ug/L	1,000.00 ug/L***	
HW34a-F	Copper	2.00 U ug/L	620.00 ug/L	1,300.00 ug/L**	1,000.00 ug/L	1,000.00 ug/L***	
HW34a-P	Copper	2.00 U ug/L	620.00 ug/L	1,300.00 ug/L**	1,000.00 ug/L	1,000.00 ug/L***	
HW34a-PF	Copper	2.00 U ug/L	620.00 ug/L	1,300.00 ug/L**	1,000.00 ug/L	1,000.00 ug/L***	
HW34a	Iron	100.00 U ug/L	11,000.00 ug/L		300.00 ug/L		300.00 ug/L
HW34a-F	Iron	100.00 U ug/L	11,000.00 ug/L		300.00 ug/L		300.00 ug/L
HW34a-P	Iron	100.00 U ug/L	11,000.00 ug/L		300.00 ug/L		300.00 ug/L
HW34a-PF	Iron	100.00 U ug/L	11,000.00 ug/L		300.00 ug/L		300.00 ug/L
HW34a	Lead	1.00 U ug/L	15.00 ug/L	15.00 ug/L**		5.00 ug/L***	
HW34a-F	Lead	1.00 U ug/L	15.00 ug/L	15.00 ug/L**		5.00 ug/L***	
HW34a-P	Lead	1.00 U ug/L	15.00 ug/L	15.00 ug/L**		5.00 ug/L***	
HW34a-PF	Lead	1.00 U ug/L	15.00 ug/L	15.00 ug/L**		5.00 ug/L***	
HW34a	Lithium	200.00 U ug/L	31.00 ug/L				

04-Apr-12

Page 4 of 17

DIM0290043

DIM0290065

DIM0290043

DIM0290066

Sample Number	Analyte	Result	Trigger Levels	EPA Primary MCLs	EPA Secondary MCLs	DEP Primary MCLs	DEP Secondary MCLs
HW34a-F	Lithium	200.00 U ug/L	31.00 ug/L				
HW34a-P	Lithium	200.00 U ug/L	31.00 ug/L				
HW34a-PF	Lithium	200.00 U ug/L	31.00 ug/L				
HW34a	Magnesium	8,020.00 ug/L					
HW34a-F	Magnesium	8,020.00 ug/L					
HW34a-P	Magnesium	7,910.00 ug/L					
HW34a-PF	Magnesium	7,940.00 ug/L					
HW34a	Manganese	58.80 ug/L	320.00 ug/L	50.00 ug/L	50.00 ug/L		
HW34a-F	Manganese	62.80 ug/L	320.00 ug/L	50.00 ug/L	50.00 ug/L		
HW34a-P	Manganese	79.70 ug/L	320.00 ug/L	50.00 ug/L	50.00 ug/L		
HW34a-PF	Manganese	78.80 ug/L	320.00 ug/L	50.00 ug/L	50.00 ug/L		
HW34a	Nickel	1.00 ug/L	300.00 ug/L				
HW34a-F	Nickel	1.10 ug/L	300.00 ug/L				
HW34a-P	Nickel	1.00 ug/L	300.00 ug/L				
HW34a-PF	Nickel	1.00 ug/L	300.00 ug/L				
HW34a	Potassium	2,000.00 U ug/L					
HW34a-F	Potassium	2,000.00 U ug/L					
HW34a-P	Potassium	2,000.00 U ug/L					
HW34a-PF	Potassium	2,000.00 U ug/L					
HW34a	Selenium	5.00 U ug/L	78.00 ug/L	50.00 ug/L	50.00 ug/L		
HW34a-F	Selenium	5.00 U ug/L	78.00 ug/L	50.00 ug/L	50.00 ug/L		
HW34a-P	Selenium	5.00 U ug/L	78.00 ug/L	50.00 ug/L	50.00 ug/L		
HW34a-PF	Selenium	5.00 U ug/L	78.00 ug/L	50.00 ug/L	50.00 ug/L		
HW34a	Silver	1.00 U ug/L	71.00 ug/L	100.00 ug/L	100.00 ug/L		
HW34a-F	Silver	1.00 U ug/L	71.00 ug/L	100.00 ug/L	100.00 ug/L		
HW34a-P	Silver	1.00 U ug/L	71.00 ug/L	100.00 ug/L	100.00 ug/L		
HW34a-PF	Silver	1.00 U ug/L	71.00 ug/L	100.00 ug/L	100.00 ug/L		
HW34a	Sodium	39,600.00 ug/L	20,000.00 ug/L				
HW34a-F	Sodium	39,700.00 ug/L	20,000.00 ug/L				

04-Apr-12

Page 5 of 17

DIM0290043

DIM0290067

DIM0290043

DIM0290068

Sample Number	Analyte	Result	Trigger Levels	EPA Primary MCLs	EPA Secondary MCLs	DEP Primary MCLs	DEP Secondary MCLs
HW34a-P	Sodium	38,700.00	ug/L	20,000.00 ug/L			
HW34a-PF	Sodium	38,800.00	ug/L	20,000.00 ug/L			
HW34a	Strontium	1,120.00	ug/L	9,300.00 ug/L			
HW34a-F	Strontium	1,120.00	ug/L	9,300.00 ug/L			
HW34a-P	Strontium	1,100.00	ug/L	9,300.00 ug/L			
HW34a-PF	Strontium	1,100.00	ug/L	9,300.00 ug/L			
HW34a	Thallium	1.00 U	ug/L	0.16 ug/L	2.00 ug/L	2.00 ug/L	
HW34a-F	Thallium	1.00 U	ug/L	0.16 ug/L	2.00 ug/L	2.00 ug/L	
HW34a-P	Thallium	1.00 U	ug/L	0.16 ug/L	2.00 ug/L	2.00 ug/L	
HW34a-PF	Thallium	1.00 U	ug/L	0.16 ug/L	2.00 ug/L	2.00 ug/L	
HW34a	Tin	200.00 U	ug/L	9,300.00 ug/L			
HW34a-F	Tin	200.00 U	ug/L	9,300.00 ug/L			
HW34a-P	Tin	200.00 U	ug/L	9,300.00 ug/L			
HW34a-PF	Tin	200.00 U	ug/L	9,300.00 ug/L			
HW34a	Titanium	200.00 U	ug/L				
HW34a-F	Titanium	200.00 U	ug/L				
HW34a-P	Titanium	200.00 U	ug/L				
HW34a-PF	Titanium	200.00 U	ug/L				
HW34a	Uranium	1.00 U	ug/L	47.00 ug/L	30.00 ug/L	30.00 ug/L	
HW34a-F	Uranium	1.00 U	ug/L	47.00 ug/L	30.00 ug/L	30.00 ug/L	
HW34a-P	Uranium	1.00 U	ug/L	47.00 ug/L	30.00 ug/L	30.00 ug/L	
HW34a-PF	Uranium	1.00 U	ug/L	47.00 ug/L	30.00 ug/L	30.00 ug/L	
HW34a	Vanadium	5.00 U	ug/L	78.00 ug/L			
HW34a-F	Vanadium	5.00 U	ug/L	78.00 ug/L			
HW34a-P	Vanadium	5.00 U	ug/L	78.00 ug/L			
HW34a-PF	Vanadium	5.00 U	ug/L	78.00 ug/L			
HW34a	Zinc	2.00 U	ug/L	4,700.00 ug/L	5,000.00 ug/L	5,000.00 ug/L	
HW34a-F	Zinc	2.00 U	ug/L	4,700.00 ug/L	5,000.00 ug/L	5,000.00 ug/L	
HW34a-P	Zinc	2.00 U	ug/L	4,700.00 ug/L	5,000.00 ug/L	5,000.00 ug/L	

04-Apr-12

Page 6 of 17

DIM0290043

DIM0290069

DIM0290043

DIM0290070

Sample Number	Analyte	Result	Trigger Levels	EPA Primary MCLs	EPA Secondary MCLs	DEP Primary MCLs	DEP Secondary MCLs
HW34a-PF	Zinc	2.00 U ug/L	4,700.00 ug/L		5,000.00 ug/L		5,000.00 ug/L
HW34a	Oil and Grease	5.00 U mg/L					
HW34a-P	Oil and Grease	5.00 U mg/L					
HW34a	Total Dissolved Solids	199.00 mg/L			500.00 mg/L		500.00 mg/L
HW34a-P	Total Dissolved Solids	192.00 mg/L			500.00 mg/L		500.00 mg/L
HW34a	Total Suspended Solids	10.00 U mg/L					
HW34a-P	Total Suspended Solids	10.00 U mg/L					
HW34a	1-Methylnaphthalene	4.76 U ug/L	97.00 ug/L				
HW34a-P	1-Methylnaphthalene	5.00 U ug/L	97.00 ug/L				
HW34a	Acenaphthene	57.10 U ug/L	400.00 ug/L				
HW34a-P	Acenaphthene	60.00 U ug/L	400.00 ug/L				
HW34a	Acenaphthylene	4.76 U ug/L					
HW34a-P	Acenaphthylene	5.00 U ug/L					
HW34a	Acetophenone	4.76 U ug/L	1,500.00 ug/L				
HW34a-P	Acetophenone	5.00 U ug/L	1,500.00 ug/L				
HW34a	Anthracene	4.76 U ug/L	1,300.00 ug/L				
HW34a-P	Anthracene	5.00 U ug/L	1,300.00 ug/L				
HW34a	Atrazine	4.76 U ug/L	26.00 ug/L	3.00 ug/L		3.00 ug/L	
HW34a-P	Atrazine	5.00 U ug/L	26.00 ug/L	3.00 ug/L		3.00 ug/L	
HW34a	Benzo(a)anthracene	4.76 U ug/L	2.90 ug/L				
HW34a-P	Benzo(a)anthracene	5.00 U ug/L	2.90 ug/L				
HW34a	Benzo(a)pyrene	4.76 U ug/L	0.29 ug/L	0.20 ug/L		0.20 ug/L	
HW34a-P	Benzo(a)pyrene	5.00 U ug/L	0.29 ug/L	0.20 ug/L		0.20 ug/L	
HW34a	Biphenyl	4.76 U ug/L					
HW34a-P	Biphenyl	5.00 U ug/L					
HW34a	Bromophenyl-4 Phenyl Ether	57.10 U ug/L					
HW34a-P	Bromophenyl-4 Phenyl Ether	60.00 U ug/L					
HW34a	Butylbenzyl phthalate	4.76 U ug/L	1,400.00 ug/L				
HW34a-P	Butylbenzyl phthalate	5.00 U ug/L	1,400.00 ug/L				

04-Apr-12

Page 7 of 17

DIM0290043

DIM0290071

DIM0290043

DIM0290072

Sample Number	Analyte	Result	Trigger Levels	EPA Primary MCLs	EPA Secondary MCLs	DEP Primary MCLs	DEP Secondary MCLs
HW34a	Caprolactam	4.76 U ug/L		7,700.00 ug/L			
HW34a-P	Caprolactam	5.00 U ug/L		7,700.00 ug/L			
HW34a	Carbazole	4.76 U ug/L					
HW34a-P	Carbazole	5.00 U ug/L					
HW34a	Chlorobenzenamine-4	4.76 U ug/L		3.20 ug/L			
HW34a-P	Chlorobenzenamine-4	5.00 U ug/L		3.20 ug/L			
HW34a	Chloronaphthalene-2	4.76 U ug/L		550.00 ug/L			
HW34a-P	Chloronaphthalene-2	5.00 U ug/L		550.00 ug/L			
HW34a	Chlorophenol-2	4.76 U ug/L		71.00 ug/L			
HW34a-P	Chlorophenol-2	5.00 U ug/L		71.00 ug/L			
HW34a	Chlorophenyl-4 phenyl ether	4.76 U ug/L					
HW34a-P	Chlorophenyl-4 phenyl ether	5.00 U ug/L					
HW34a	Chrysene	4.76 U ug/L		290.00 ug/L			
HW34a-P	Chrysene	5.00 U ug/L		290.00 ug/L			
HW34a	Cresol, parachloro meta-	4.76 U ug/L					
HW34a-P	Cresol, parachloro meta-	5.00 U ug/L					
HW34a	Cresol-4,6-dinitro-ortho	57.10 U ug/L					
HW34a-P	Cresol-4,6-dinitro-ortho	60.00 U ug/L					
HW34a	Cresol-o	4.76 U ug/L		720.00 ug/L			
HW34a-P	Cresol-o	5.00 U ug/L		720.00 ug/L			
HW34a	Cresol-p	4.76 U ug/L		72.00 ug/L			
HW34a-P	Cresol-p	5.00 U ug/L		72.00 ug/L			
HW34a	Dibenz(a,h)anthracene	4.76 U ug/L		0.29 ug/L			
HW34a-P	Dibenz(a,h)anthracene	5.00 U ug/L		0.29 ug/L			
HW34a	Dibenzofuran	4.76 U ug/L					
HW34a-P	Dibenzofuran	5.00 U ug/L					
HW34a	Dichlorobenzidine-3,3'	4.76 U ug/L		11.00 ug/L			
HW34a-P	Dichlorobenzidine-3,3'	5.00 U ug/L		11.00 ug/L			
HW34a	Dichlorophenol-2,4	4.76 U ug/L		35.00 ug/L			

04-Apr-12

Page 8 of 17

DIM0290043

DIM0290073

DIM0290043

DIM0290074

Sample Number	Analyte	Result	Trigger Levels	EPA Primary MCLs	EPA Secondary MCLs	DEP Primary MCLs	DEP Secondary MCLs
HW34a-P	Dichlorophenol-2,4	5.00 U ug/L		35.00 ug/L			
HW34a	Dimethylphenol, 2,4-	4.76 U ug/L		270.00 ug/L			
HW34a-P	Dimethylphenol, 2,4-	5.00 U ug/L		270.00 ug/L			
HW34a	Dinitrophenol-2,4	57.10 U ug/L		30.00 ug/L			
HW34a-P	Dinitrophenol-2,4	60.00 U ug/L		30.00 ug/L			
HW34a	Dinitrotoluene-2,4	4.76 U ug/L					
HW34a-P	Dinitrotoluene-2,4	5.00 U ug/L					
HW34a	Dinitrotoluene-2,6	57.10 U ug/L					
HW34a-P	Dinitrotoluene-2,6	60.00 U ug/L					
HW34a	Ether, bis(2-chloroethyl)	4.76 U ug/L		1.20 ug/L			
HW34a-P	Ether, bis(2-chloroethyl)	5.00 U ug/L		1.20 ug/L			
HW34a	Ether-bis(2-chloroisopropyl)	57.10 U ug/L					
HW34a-P	Ether-bis(2-chloroisopropyl)	60.00 U ug/L					
HW34a	Fluoranthene	4.76 U ug/L		630.00 ug/L			
HW34a-P	Fluoranthene	5.00 U ug/L		630.00 ug/L			
HW34a	Fluoranthene benzo(k)	4.76 U ug/L		29.00 ug/L			
HW34a-P	Fluoranthene benzo(k)	5.00 U ug/L		29.00 ug/L			
HW34a	Fluoranthene-benzo(b)	4.76 U ug/L		5.60 ug/L			
HW34a-P	Fluoranthene-benzo(b)	5.00 U ug/L		5.60 ug/L			
HW34a	Fluorene	57.10 U ug/L		220.00 ug/L			
HW34a-P	Fluorene	60.00 U ug/L		220.00 ug/L			
HW34a	Hexachlorobenzene	4.76 U ug/L		4.20 ug/L	1.00 ug/L		1.00 ug/L
HW34a-P	Hexachlorobenzene	5.00 U ug/L		4.20 ug/L	1.00 ug/L		1.00 ug/L
HW34a	Hexachlorobutadiene	4.76 U ug/L		26.00 ug/L			
HW34a	Hexachlorobutadiene	0.50 U ug/L		26.00 ug/L			
HW34a-P	Hexachlorobutadiene	5.00 U ug/L		26.00 ug/L			
HW34a-P	Hexachlorobutadiene	0.50 U ug/L		26.00 ug/L			
HW34a	Hexachlorocyclopentadiene	4.76 U ug/L		22.00 ug/L	50.00 ug/L		50.00 ug/L
HW34a-P	Hexachlorocyclopentadiene	5.00 U ug/L		22.00 ug/L	50.00 ug/L		50.00 ug/L

04-Apr-12

Page 9 of 17

DIM0290043

DIM0290075

DIM0290043

DIM0290076

Sample Number	Analyte	Result	Trigger Levels	EPA Primary MCLs	EPA Secondary MCLs	DEP Primary MCLs	DEP Secondary MCLs
HW34a	Hexachloroethane	4.76 U ug/L		5.10 ug/L			
HW34a-P	Hexachloroethane	5.00 U ug/L		5.10 ug/L			
HW34a	Isophorone	4.76 U ug/L		6,700.00 ug/L			
HW34a-P	Isophorone	5.00 U ug/L		6,700.00 ug/L			
HW34a	Methane, bis(2-chloroethoxy)	4.76 U ug/L		47.00 ug/L			
HW34a-P	Methane, bis(2-chloroethoxy)	5.00 U ug/L		47.00 ug/L			
HW34a	Methylnaphthalene-2	4.76 U ug/L		27.00 ug/L			
HW34a-P	Methylnaphthalene-2	5.00 U ug/L		27.00 ug/L			
HW34a	Naphthalene	4.76 U ug/L		14.00 ug/L			
HW34a	Naphthalene	0.50 U ug/L		14.00 ug/L			
HW34a-P	Naphthalene	0.50 U ug/L		14.00 ug/L			
HW34a-P	Naphthalene	5.00 U ug/L		14.00 ug/L			
HW34a	Nitroaniline, ortho	4.76 U ug/L		150.00 ug/L			
HW34a-P	Nitroaniline, ortho	5.00 U ug/L		150.00 ug/L			
HW34a	Nitroaniline-3	4.76 U ug/L					
HW34a-P	Nitroaniline-3	5.00 U ug/L					
HW34a	Nitrobenzamine-4	4.76 U ug/L		61.00 ug/L			
HW34a-P	Nitrobenzamine-4	5.00 U ug/L		61.00 ug/L			
HW34a	Nitrobenzene	4.76 U ug/L		12.00 ug/L			
HW34a-P	Nitrobenzene	5.00 U ug/L		12.00 ug/L			
HW34a	Nitrophenol-2	4.76 U ug/L					
HW34a-P	Nitrophenol-2	5.00 U ug/L					
HW34a	Nitrophenol-4	9.52 U ug/L					
HW34a-P	Nitrophenol-4	10.00 U ug/L					
HW34a	Nitrosodimethylamine-n	4.76 U ug/L		0.04 ug/L			
HW34a-P	Nitrosodimethylamine-n	5.00 U ug/L		0.04 ug/L			
HW34a	Nitrosodiphenylamine-n	4.76 U ug/L		1,000.00 ug/L			
HW34a-P	Nitrosodiphenylamine-n	5.00 U ug/L		1,000.00 ug/L			
HW34a	Pentachlorophenol	57.10 U ug/L		17.00 ug/L	1.00 ug/L	1.00 ug/L	

04-Apr-12

Page 10 of 17

DIM0290043

DIM0290077

DIM0290043

DIM0290078

Sample Number	Analyte	Result	Trigger Levels	EPA Primary MCLs	EPA Secondary MCLs	DEP Primary MCLs	DEP Secondary MCLs
HW34a-P	Pentachlorophenol	60.00 U ug/L	17.00 ug/L	1.00 ug/L		1.00 ug/L	
HW34a	Perylene-benzo(ghi)	4.76 U ug/L					
HW34a-P	Perylene-benzo(ghi)	5.00 U ug/L					
HW34a	Phenanthrene	57.10 U ug/L					
HW34a-P	Phenanthrene	60.00 U ug/L					
HW34a	Phenol	4.76 U ug/L	4,500.00 ug/L				
HW34a-P	Phenol	5.00 U ug/L	4,500.00 ug/L				
HW34a	Phthalate, bis(2-ethylhexyl) (DEHP)	5.00 U ug/L	7.10 ug/L	6.00 ug/L		6.00 ug/L	
HW34a-P	Phthalate, bis(2-ethylhexyl) (DEHP)	5.00 U ug/L	7.10 ug/L	6.00 ug/L		6.00 ug/L	
HW34a	Phthalate, Dimethyl	4.76 U ug/L	1,400.00 ug/L				
HW34a-P	Phthalate, Dimethyl	5.00 U ug/L	1,400.00 ug/L				
HW34a	Phthalate, di-n-butyl-	5.00 U ug/L	670.00 ug/L				
HW34a-P	Phthalate, di-n-butyl-	5.00 U ug/L	670.00 ug/L				
HW34a	Phthalate, di-n-octyl	4.76 U ug/L					
HW34a-P	Phthalate, di-n-octyl	5.00 U ug/L					
HW34a	Phthalate-diethyl	4.76 U ug/L	11,000.00 ug/L				
HW34a-P	Phthalate-diethyl	5.00 U ug/L	11,000.00 ug/L				
HW34a	Propylamine,n-nitroso di-n-	4.76 U ug/L	0.93 ug/L				
HW34a-P	Propylamine,n-nitroso di-n-	5.00 U ug/L	0.93 ug/L				
HW34a	Pyrene	57.10 U ug/L	87.00 ug/L				
HW34a-P	Pyrene	60.00 U ug/L	87.00 ug/L				
HW34a	Pyrene-indeno(1,2,3-cd)	4.76 U ug/L	3.00 ug/L				
HW34a-P	Pyrene-indeno(1,2,3-cd)	5.00 U ug/L	3.00 ug/L				
HW34a	Tetrachlorobenzene, 1,2,4,5-	4.76 U ug/L	1.20 ug/L				
HW34a-P	Tetrachlorobenzene, 1,2,4,5-	5.00 U ug/L	1.20 ug/L				
HW34a	Tetrachlorophenol, 2,3,4,6-	4.76 U ug/L	170.00 ug/L				
HW34a-P	Tetrachlorophenol, 2,3,4,6-	5.00 U ug/L	170.00 ug/L				
HW34a	Trichlorophenol-2,4,5	4.76 U ug/L	890.00 ug/L				
HW34a-P	Trichlorophenol-2,4,5	5.00 U ug/L	890.00 ug/L				

04-Apr-12

Page 11 of 17

DIM0290043

DIM0290079

DIM0290043

DIM0290080

Sample Number	Analyte	Result	Trigger Levels	EPA Primary MCLs	EPA Secondary MCLs	DEP Primary MCLs	DEP Secondary MCLs
HW34a	Trichlorophenol-2,4,6	4.76 U ug/L		9.04 ug/L			
HW34a-P	Trichlorophenol-2,4,6	5.00 U ug/L		9.04 ug/L			
HW34a	TPH - Diesel Range Organics	250.00 U ug/L					
HW34a-P	TPH - Diesel Range Organics	250.00 U ug/L					
HW34a	TPH - Gasoline Range Organics	50.00 U ug/L					
HW34a-P	TPH - Gasoline Range Organics	50.00 U ug/L					
HW34a	TPH - Oil Range Organics	1,000.00 U ug/L					
HW34a-P	TPH - Oil Range Organics	1,000.00 U ug/L					
HW34a	1,2-Dibromo-3-chloropropane (DBCP)	0.50 U ug/L	0.03 ug/L	0.20 ug/L		0.20 ug/L	
HW34a-P	1,2-Dibromo-3-chloropropane (DBCP)	0.50 U ug/L	0.03 ug/L	0.20 ug/L		0.20 ug/L	
HW34a	4-Methyl-2-pentanone	2.00 U ug/L	1,000.00 ug/L				
HW34a-P	4-Methyl-2-pentanone	2.00 U ug/L	1,000.00 ug/L				
HW34a	Acetone	2.00 U ug/L					
HW34a-P	Acetone	2.00 U ug/L					
HW34a	Benzene	0.50 U ug/L		5.00 ug/L		5.00 ug/L	
HW34a-P	Benzene	0.50 U ug/L		5.00 ug/L		5.00 ug/L	
HW34a	Bromobenzene	0.50 U ug/L					
HW34a-P	Bromobenzene	0.50 U ug/L					
HW34a	Bromoform	0.50 U ug/L		80.00 ug/L		80.00 ug/L	
HW34a-P	Bromoform	0.50 U ug/L		80.00 ug/L		80.00 ug/L	
HW34a	Butylbenzene	0.50 U ug/L					
HW34a-P	Butylbenzene	0.50 U ug/L					
HW34a	Butylbenzene, sec-	0.50 U ug/L					
HW34a-P	Butylbenzene, sec-	0.50 U ug/L					
HW34a	Butylbenzene, tert-	0.50 U ug/L					
HW34a-P	Butylbenzene, tert-	0.50 U ug/L					
HW34a	Carbon disulfide	1.40 ug/L					
HW34a-P	Carbon disulfide	0.50 U ug/L					
HW34a	Carbon Tetrachloride	0.50 U ug/L		5.00 ug/L		5.00 ug/L	

04-Apr-12

Page 12 of 17

DIM0290043

DIM0290081

DIM0290043

DIM0290082

Sample Number	Analyte	Result	Trigger Levels	EPA Primary MCLs	EPA Secondary MCLs	DEP Primary MCLs	DEP Secondary MCLs
HW34a-P	Carbon Tetrachloride	0.50 U ug/L		5.00 ug/L		5.00 ug/L	
HW34a	Chlorobenzene	0.50 U ug/L		100.00 ug/L			
HW34a-P	Chlorobenzene	0.50 U ug/L		100.00 ug/L			
HW34a	Chlorobromomethane	0.50 U ug/L					
HW34a-P	Chlorobromomethane	0.50 U ug/L					
HW34a	Chloroethane	0.50 U ug/L					
HW34a-P	Chloroethane	0.50 U ug/L					
HW34a	Chloroform	0.50 U ug/L		80.00 ug/L		80.00 ug/L	
HW34a-P	Chloroform	0.50 U ug/L		80.00 ug/L		80.00 ug/L	
HW34a	Chlorotoluene	0.50 U ug/L	180.00 ug/L				
HW34a-P	Chlorotoluene	0.50 U ug/L	180.00 ug/L				
HW34a	Chlorotoluene-p	0.50 U ug/L	190.00 ug/L				
HW34a-P	Chlorotoluene-p	0.50 U ug/L	190.00 ug/L				
HW34a	Cyclohexane	0.50 UJ ug/L					
HW34a-P	Cyclohexane	0.50 UJ ug/L					
HW34a	Dibromochloromethane	0.50 U ug/L		80.00 ug/L		80.00 ug/L	
HW34a-P	Dibromochloromethane	0.50 U ug/L		80.00 ug/L		80.00 ug/L	
HW34a	Dibromoethane-1,2	0.50 U ug/L	0.65 ug/L	0.05 ug/L		0.05 ug/L	
HW34a-P	Dibromoethane-1,2	0.50 U ug/L	0.65 ug/L	0.05 ug/L		0.05 ug/L	
HW34a	Dibromomethane	0.50 U ug/L					
HW34a-P	Dibromomethane	0.50 U ug/L					
HW34a	Dichlorobenzene-1,2	0.50 U ug/L	280.00 ug/L	600.00 ug/L		600.00 ug/L	
HW34a-P	Dichlorobenzene-1,2	0.50 U ug/L	280.00 ug/L	600.00 ug/L		600.00 ug/L	
HW34a	Dichlorobenzene-1,3	0.50 U ug/L					
HW34a-P	Dichlorobenzene-1,3	0.50 U ug/L					
HW34a	Dichlorobenzene-1,4	0.50 U ug/L	42.00 ug/L	75.00 ug/L		75.00 ug/L	
HW34a-P	Dichlorobenzene-1,4	0.50 U ug/L	42.00 ug/L	75.00 ug/L		75.00 ug/L	
HW34a	Dichlorobromomethane	0.50 U ug/L		80.00 ug/L		80.00 ug/L	
HW34a-P	Dichlorobromomethane	0.50 U ug/L		80.00 ug/L		80.00 ug/L	

04-Apr-12

Page 13 of 17

DIM0290043

DIM0290083

DIM0290043

DIM0290084

Sample Number	Analyte	Result	Trigger Levels	EPA Primary MCLs	EPA Secondary MCLs	DEP Primary MCLs	DEP Secondary MCLs
HW34a	Dichlorodifluoromethane	0.50 U ug/L					
HW34a-P	Dichlorodifluoromethane	0.50 U ug/L					
HW34a	Dichloroethane-1,1	0.50 U ug/L	240.00 ug/L				
HW34a-P	Dichloroethane-1,1	0.50 U ug/L	240.00 ug/L				
HW34a	Dichloroethane-1,2	0.50 U ug/L	15.00 ug/L	5.00 ug/L		5.00 ug/L	
HW34a-P	Dichloroethane-1,2	0.50 U ug/L	15.00 ug/L	5.00 ug/L		5.00 ug/L	
HW34a	Dichloroethylene-1,2 trans	0.50 U ug/L		100.00 ug/L		100.00 ug/L	
HW34a-P	Dichloroethylene-1,2 trans	0.10 J ug/L		100.00 ug/L		100.00 ug/L	
HW34a	Dichloroethylene-1,1	0.50 U ug/L		7.00 ug/L		7.00 ug/L	
HW34a-P	Dichloroethylene-1,1	0.50 U ug/L		7.00 ug/L		7.00 ug/L	
HW34a	Dichloroethylene-1,2 cis	0.50 U ug/L		70.00 ug/L		70.00 ug/L	
HW34a-P	Dichloroethylene-1,2 cis	0.50 U ug/L		70.00 ug/L		70.00 ug/L	
HW34a	Dichloropropane, 1,2-	0.50 U ug/L	38.00 ug/L	5.00 ug/L		5.00 ug/L	
HW34a-P	Dichloropropane, 1,2-	0.50 U ug/L	38.00 ug/L	5.00 ug/L		5.00 ug/L	
HW34a	Dichloropropane, 1,3-	0.50 U ug/L	290.00 ug/L				
HW34a-P	Dichloropropane, 1,3-	0.50 U ug/L	290.00 ug/L				
HW34a	Dichloropropane, 2,2-	0.50 U ug/L					
HW34a-P	Dichloropropane, 2,2-	0.50 U ug/L					
HW34a	Dichloropropene, 1,1-	0.50 U ug/L					
HW34a-P	Dichloropropene, 1,1-	0.50 U ug/L					
HW34a	Dichloropropene, 1,3 cis-	0.50 U ug/L					
HW34a-P	Dichloropropene, 1,3 cis-	0.50 U ug/L					
HW34a	Dichloropropene, 1,3 trans-	0.50 U ug/L					
HW34a-P	Dichloropropene, 1,3 trans-	0.50 U ug/L					
HW34a	Ethylbenzene	0.50 U ug/L		700.00 ug/L		700.00 ug/L	
HW34a-P	Ethylbenzene	0.50 U ug/L		700.00 ug/L		700.00 ug/L	
HW34a	Freon 113	0.50 UJ ug/L					
HW34a-P	Freon 113	0.50 UJ ug/L					
HW34a	Hexanone, 2-	2.00 U ug/L	34.00 ug/L				

04-Apr-12

Page 14 of 17

DIM0290043

DIM0290085

DIM0290043

DIM0290086

Sample Number	Analyte	Result	Trigger Levels	EPA Primary MCLs	EPA Secondary MCLs	DEP Primary MCLs	DEP Secondary MCLs
HW34a-P	Hexanone, 2-	2.00 U ug/L	34.00 ug/L				
HW34a	Isopropylbenzene	0.50 U ug/L					
HW34a-P	Isopropylbenzene	0.50 U ug/L					
HW34a	Isopropylbenzene-4,methyl-1	0.50 U ug/L					
HW34a-P	Isopropylbenzene-4,methyl-1	0.50 U ug/L					
HW34a	m,p-Xylene	1.00 U ug/L		10,000.00 ug/L		10,000.00 ug/L	
HW34a-P	m,p-Xylene	1.00 U ug/L		10,000.00 ug/L		10,000.00 ug/L	
HW34a	Methyl acetate	0.50 UJ ug/L					
HW34a-P	Methyl acetate	0.50 UJ ug/L					
HW34a	Methyl bromide	0.50 U ug/L					
HW34a-P	Methyl bromide	0.50 U ug/L					
HW34a	Methyl chloride	0.50 U ug/L					
HW34a-P	Methyl chloride	0.50 U ug/L					
HW34a	Methyl cyclohexane	0.50 UJ ug/L					
HW34a-P	Methyl cyclohexane	0.50 UJ ug/L					
HW34a	Methyl ethyl ketone	2.00 U ug/L	4,900.00 ug/L				
HW34a-P	Methyl ethyl ketone	2.00 U ug/L	4,900.00 ug/L				
HW34a	Methyl tertiary butyl ether (MTBE)	0.50 UJ ug/L					
HW34a-P	Methyl tertiary butyl ether (MTBE)	0.50 UJ ug/L					
HW34a	Methylene chloride	0.50 U ug/L		5.00 ug/L		5.00 ug/L	
HW34a-P	Methylene chloride	0.50 U ug/L		5.00 ug/L		5.00 ug/L	
HW34a	Propylbenzene-n	0.50 U ug/L					
HW34a-P	Propylbenzene-n	0.50 U ug/L					
HW34a	Styrene	1.00 UJ ug/L		100.00 ug/L		100.00 ug/L	
HW34a-P	Styrene	1.00 UJ ug/L		100.00 ug/L		100.00 ug/L	
HW34a	Tetrachloroethane, 1,1,1,2-	0.50 U ug/L	50.00 ug/L				
HW34a-P	Tetrachloroethane, 1,1,1,2-	0.50 U ug/L	50.00 ug/L				
HW34a	Tetrachloroethane, 1,1,2,2-	0.50 U ug/L	6.60 ug/L				
HW34a-P	Tetrachloroethane, 1,1,2,2-	0.50 U ug/L	6.60 ug/L				

04-Apr-12

Page 15 of 17

DIM0290043

DIM0290087

DIM0290043

DIM0290088

Sample Number	Analyte	Result	Trigger Levels	EPA Primary MCLs	EPA Secondary MCLs	DEP Primary MCLs	DEP Secondary MCLs
HW34a	Tetrachloroethylene	0.50 U ug/L		5.00 ug/L		5.00 ug/L	
HW34a-P	Tetrachloroethylene	0.50 U ug/L		5.00 ug/L		5.00 ug/L	
HW34a	Toluene	0.50 U ug/L		1,000.00 ug/L		1,000.00 ug/L	
HW34a-P	Toluene	0.50 U ug/L		1,000.00 ug/L		1,000.00 ug/L	
HW34a	Trichlorobenzene-1,2,3	0.50 U ug/L	5.20 ug/L				
HW34a-P	Trichlorobenzene-1,2,3	0.50 U ug/L	5.20 ug/L				
HW34a	Trichlorobenzene-1,2,4	0.50 U ug/L	5.20 ug/L	70.00 ug/L		70.00 ug/L	
HW34a-P	Trichlorobenzene-1,2,4	0.50 U ug/L	5.20 ug/L	70.00 ug/L		70.00 ug/L	
HW34a	Trichloroethane-1,1,1	0.50 U ug/L	7,500.00 ug/L	200.00 ug/L		200.00 ug/L	
HW34a-P	Trichloroethane-1,1,1	0.50 U ug/L	7,500.00 ug/L	200.00 ug/L		200.00 ug/L	
HW34a	Trichloroethane-1,1,2	0.50 U ug/L	0.41 ug/L	5.00 ug/L		5.00 ug/L	
HW34a-P	Trichloroethane-1,1,2	0.50 U ug/L	0.41 ug/L	5.00 ug/L		5.00 ug/L	
HW34a	Trichloroethylene	0.50 U ug/L		5.00 ug/L		5.00 ug/L	
HW34a-P	Trichloroethylene	0.50 U ug/L		5.00 ug/L		5.00 ug/L	
HW34a	Trichlorofluoromethane	0.50 U ug/L					
HW34a-P	Trichlorofluoromethane	0.50 U ug/L					
HW34a	Trichloropropane-1,2,3	0.50 U ug/L	0.07 ug/L				
HW34a-P	Trichloropropane-1,2,3	0.50 U ug/L	0.07 ug/L				
HW34a	Trimethylbenzene-1,2,4	0.50 U ug/L	15.00 ug/L				
HW34a-P	Trimethylbenzene-1,2,4	0.50 U ug/L	15.00 ug/L				
HW34a	Trimethylbenzene-1,3,5	0.50 U ug/L	87.00 ug/L				
HW34a-P	Trimethylbenzene-1,3,5	0.50 U ug/L	87.00 ug/L				
HW34a	Vinyl acetate	0.50 U ug/L					
HW34a-P	Vinyl acetate	0.50 U ug/L					
HW34a	Vinyl chloride	0.50 U ug/L		2.00 ug/L		2.00 ug/L	
HW34a-P	Vinyl chloride	0.50 U ug/L		2.00 ug/L		2.00 ug/L	
HW34a	Xylene-o	1.00 UJ ug/L		10,000.00 ug/L		10,000.00 ug/L	
HW34a-P	Xylene-o	1.00 UJ ug/L		10,000.00 ug/L		10,000.00 ug/L	
HW34a	Nitrogen, Nitrite + Nitrate	0.05 U mg/L		10.00 mg/L		10.00 mg/L	

04-Apr-12

Page 16 of 17

DIM0290043

DIM0290089

DIM0290043

DIM0290090

Sample Number	Analyte	Result	Trigger Levels	EPA Primary MCLs	EPA Secondary MCLs	DEP Primary MCLs	DEP Secondary MCLs
HW34a-P	Nitrogen, Nitrite + Nitrate	0.05 U	mg/L		10.00 mg/L		10.00 mg/L
HW34a	Total Nitrogen	1.00 U	mg/L				
HW34a-P	Total Nitrogen	1.00 U	mg/L				
HW34a	Total Phosphorus as P	0.05 U	mg/L				
HW34a-P	Total Phosphorus as P	0.05 U	mg/L				

* No more than 5.0% samples total coliform-positive in a month. (For water systems that collect fewer than 40 routine samples per month, no more than one sample can be total coliform-positive per month.) Every sample that has total coliform must be analyzed for either fecal coliforms or E. coli if two consecutive TC-positive samples, and one is also positive for E.coli fecal coliforms, system has an acute MCL violation.

** EPA has not established an MCL for lead or copper. Lead and copper are regulated by a Treatment Technique that requires public drinking water systems to control the corrosiveness of their water. If more than 10% of tap water samples exceed the action level, water system must take additional steps. For lead, the action level is 15 ug/L, and for copper is 1,300 ug/L.

*** The DEP Primary MCLs for lead (5 ug/L) and copper (1,000 ug/L) are applicable only to bottled, vended, retail and bulk water hauling systems, otherwise the DEP uses the federal action levels for lead (15 ug/L), and for copper (1,300 ug/L).

R - Indicates that the data has been rejected. For glycol analyses, data with detected concentrations above the Method Detection Limit (MDL) and less than the Reporting Limit (RL) were rejected due to the laboratory not using a second column and/or gas chromatography with mass spectrometry to confirm the identity of the compound listed. For Heterotrophic Plate Count analysis, data were rejected if the laboratory did not run a method blank (i.e. sterility control) for each series of samples plated to determine whether the test samples could have been contaminated during analysis.

MDL - Is the minimum concentration of a substance that can be measured and reported with 99-percent confidence that the concentration of the substance is greater than zero.

RL - Is the lowest concentration that can be reliably achieved within specified limits of precision and accuracy during routine laboratory operating conditions, typically set at the lowest standard in the calibration curve.

TPH - Total Petroleum Hydrocarbons

DIM0290043

DIM0290092